



**CERTIFICATE OF COMPLIANCE**

COC REF #S10042205

DATE OF ISSUANCE: Aug 17, 2010

**Identification of the Product:**

**65295 Reindeer Lip Lollipop**

**Report no.: SHAH00212793/SHF101B0582/SHAH00212487.**

| TEST                                  | STANDARD  | TEST RESULT    |
|---------------------------------------|---|----------------|
| <b>Tests for toy</b>                  |   |                |
| Physical and Mechanical Tests         | U.S. ASTM F963-08 Physical and Mechanical Test;   | Pass           |
| Flammability test                     | U.S. ASTM F963-08 Flammability Test.  | Pass           |
| Toxic element analysis                | U.S. ASTM F963-08 Toxic element analysis  | Not Applicable |
| Total Lead Content in Surface coating | U.S. CFR Title 16 CFR 1303  | Not Applicable |
| Total Lead Content in Surface coating | U.S. CPSIA 2008 (H.R. 4040) Title 1, Section 101  | Not Applicable |
| Total Lead Content in Substrates      | U.S. CPSIA 2008 (H.R. 4040) Title 1, Section 101  | Pass           |
| Requirement on Phthalates             | U.S. CPSIA 2008 (H.R. 4040) Title 1, Section 108  | Pass           |
| CONEG                                 | TOTAL LEAD, CADMIUM, CHROMIUM (VI), AND MERCURY   | PASS           |
| PS (K-R)                              | FDA 177.1640  | PASS           |
| PP HOMOPOLYMER                        | FDA 177.1520  | PASS           |
| <b>Test for food</b>                  |   |                |
| Total Plate Count, cfu/g              | US FDA BAM  | <10            |
| Mold , cfu/g                          | US FDA BAM  | <10            |
| Salmonella, /25g                      | US FDA BAM  | Negative       |
| Coliform, MPN/g                       | US FDA BAM  | <0.3           |
| Enterobacteriaceae, cfu/g             | ISO 21528-2:2004  | <10            |
| Metal (Arsenic, Lead, Copper)         | Codex Stan 147-1985. FDA proposed guideline value (Mar 2004) for candy product on lead content. &The proposed guideline value (May 2005) for candy product on lead content by California Legislature, Health & Safety code on lead content. | Pass           |
| Titanium                              |   | Pass           |

**Information on Importer or manufacturer certifying compliance of the product:**

Ford Gum & Machine Company  
18 Newton Avenue  
Akron, NY 14041

**Record Keeper Information:**

Linda A. Neilson  
Quality Assurance Manager  
18 Newton Avenue  
Akron, NY 14001  
(716) 542-4561 ext 258  
[lneilson@fordgum.com](mailto:lneilson@fordgum.com)

**Manufacturing Information**

Made in China

**Test Data**

**Test Period May 29 through July 10, 2009**

Intertek Testing Services Shenzhen Ltd. TFH Division  
7/F Shekou Technology main Building  
Industrial 7<sup>th</sup> Road  
Shekou, Shenzhen China  
Tel(86-755) 2602 0111

Ford Gum & Machine Company  
18 Newton Avenue  
Akron, NY. 14001 USA  
716 542-4561